



per instance class

Search

Advanced Search

Web Show options...

Results 1 - 30 of about 26,

Using properties defined at a **per-instance level not **per-class** ...**

Oct 27, 2009 ... What I am trying to achieve is something like this: **class** object: ... You shouldn't be using the word ... Since, as @Jonathan says, ... I don't ...
[stackoverflow.com/.../using-properties-defined-at-a-per-instance-level-not-per-class - Cached](#)

Per-instance and per-class aspects - Patent application - object ...

Classes and individual objects can be associated with different advices. Interceptors can be added dynamically on a **per-instance** and/or a **per-class** basis. ...
[www.faq.s.org/patents/app/20080301636 - Cached](#)

Stephen Colebourne's Weblog

One key issue that has to be addressed with a property proposal is whether to go **per-class** or **per-instance**. The **per-class** approach results in usage like ...
[www.jroller.com/scolebourne/.../java_7_update_on_properties - Cached - Similar](#)

Groovy - Per-Instance MetaClass

Compatibility. Only works in Groovy 1.1-beta-3 and above. Use the Proxy **class** in older versions to achieve a **per-instance** behaviour change. ...
[groovy.codehaus.org · User Guide · Dynamic Groovy - Cached - Similar](#)

Authentication Class - 1 instance per person

Nov 19, 2009 ... But require the file on every page authentication **class - 1 instance per person**.
[www.webmasterworld.com/php/4028164.htm](#)

Groovy **per instance meta classes and ExpandoMetaClass DSL « Groovy ...**

Jun 2, 2008 ... So far Groovy allow **per instance** meta **classes** only for objects, which implements GroovyObject interface (like any **class** defined in Groovy). ...
[groovyland.wordpress.com/.../groovy-per-instance-meta-classes-and-expandometaclass-dsl/ - Cached - Similar](#)

Scala **Per-Instance Singletons**

Scala **Per-Instance** Singletons. I was reading about Lift and came across a funky scala syntax: **class** Foo { object bar { val name = "bob" } } ...
[www.draconianoverlord.com/.../scala-per-instance-singletons.html - Cached](#)

Class vs. Instance

Class variables and **class** methods are associated with a **class** and occur once **per class**. **Instance** methods and variables occur once **per instance** of a **class**. ...
[www.telecom.ece.ntua.gr/HTML/Tutorials/java/.../static.html - Cached - Similar](#)

Autodesk: Discussion Groups - how to implement IPropertySource to ...

Thread: how to implement IPropertySource to add **per-instance** property? ... public **class** CustomSource2 : IPropertySource { public string get_Name() ...
[discussion.autodesk.com/forums/thread.jspa?threadID=75354... - Cached](#)

Tiago Cogumbreiro - Creating Python **Instance Methods**

In this document I will show you how you can associate override a method at runtime, **per class** or even **per instance**. You can also define functions as a ...
[irrepupavel.com/documents/python/instancemethod/ - Similar](#)

Categories on a **per instance basis - Patent 7389493**

In any of these techniques, providing **per-instance** properties may be used in any of the following ways: (1) different instances of the same **class** are ...

www.freepatentsonline.com/7369493.html
by DJ Long - 2008 - Related articles

Reliably Broken » Per-instance choices for Django's forms.ChoiceField
Mar 11, 2009 ... **Per-instance** choices for Django's forms.ChoiceField. ... I am relying on Django's base ChoiceField **class** calling list() on the choices when ...
[reliablybroken.com/.../per-instance-choices-for-djangos-formschoicefield/](#) -
Cached · Similar

Policies on a per instance basis - US Patent 7240329 Claims
The method of claim 1, wherein said second object **class** defines properties ... of said **per-instance** methods, wherein said first bundle **class** references said ...
www.patentstorm.us/patents/7240329/claims.html

Workflows and stuff... : Instance state and per-instance Title ...
Jul 13, 2006 ... project, AdministrationService **class**. This **class** has two sources of events.
... **Instance** state and **per-instance** Title property handling ...
blogs.msdn.com/sergeychub/archive/2006/07/.../664718.aspx - Cached · Similar

Safari Books Online: Python in a Nutshell, 2nd Edition
Classes and **Instances** > **Per-Instance** Methods - Pg. 103 ... __getattr__ (self, name)
An **instance** x of **class** listNoAppend is almost indistinguishable ...
my.safaribooksonline.com/0596100469/perinstance_methods

CSLA .NET - Per-Instance Authorization Rules for Child Classes
2 posts · 2 authors · Last post: Sep 1
Forums for CSLA .NET and the Expert VB 2008 Business Objects and C# 2008 Business Objects books by Rockford Lhotka.
forums.lhotka.net/forums/ThreadNavigation.aspx?PostID=35965... - Cached

Heapmonitor Documentation — Pympler v0.1 documentation
Jan 12, 2008 ... The size for each tracked object is printed and a **per-snapshot** summary is SCons instates the pattern of changing an **'instance' class** at ...
packages.python.org/Pympler/heapmonitor.html

[Facets] [facets-Bugs-22436] memoize caches **instance** methods **per** ...
Oct 15, 2008 ... Previous message: [Facets] [facets-Bugs-22436] memoize caches
instance methods **per-class**, but it should be **per-instance** ...
rubyforge.org/pipermail/facets-universal/2008.../000280.html - Cached

Amazon Web Services Developer Community : Amazon RDS DB Instance ...
Oct 26, 2009 ... This example shows how to change the DB **Instance class** ... \$0.11 **per** hour). db.m1.large (7.5 GB of RAM, \$0.44 **per** hour); db.m1.xlarge (15 ...
developer.amazonwebservices.com/connect/entry.jspa?externalID... - Cached

My Journey Through IT: JavaScript instance methods vs Class methods
Aug 6, 2009 ... The difference between the two is that given an object **instance** methods are created **per** object whereas **class** methods are only one **per class** ...
dlnukaroshan.blogspot.com/.../javascript-instance-methods-vs-class.html - Cached

Static vs. Instance
As you can see, to refer an **class's** static variables and methods, you use a syntax ...
Instance methods and variables occur once **per instance** of a **class**. ...
www.geom.uuc.edu/~daeron/docs/javaguide/.../static.html - Cached · Similar

Chapter 7, Dynamic AOP
7.2. **Per Instance** AOP. Any **class** that is instrumented by JBoss AOP, is forced to implement the org.jboss.aop.Advised interface. ...
jboss.org/jbossaop/docs/2.0.0.GA/docs/aspect.../dynamic.html - Cached

WCF Service Behaviors - Instance and Concurrency Management ...
Apr 29, 2008 ... Single - This is the default setting and instruct the runtime to allow access on one thread **per instance** of the service **class**. ...
mkdnet.net/blogs/264.aspx - Cached

5.2 New-Style **Classes** and **Instances**

Note that `__slots__` is worth adding only to **classes** that can have so many instances that saving a few tens of bytes **per instance** is important—typically ...
hell.org.ua/Docs/oreilly/other2/.../0596001886_pythonian-chp-5-sect-2.html

[ninject] Re: **Per Instance** Constructor Parameters - Nate Kohari ...

2 messages in com.google.groups.ninject[ninject] Re: **Per Instance** Constructor. ... I have an **abstract class** called **Renderable** with at least 20 different ...
mark@mail.org/message/6ea7grdu6i3nheqx - [Cached](#) - [Similar](#)

Re: [aspectj-users] Add **per-class** static log4j **instance** using AspectJ.
 Aug 8, 2007 ... Prev by Date: [aspectj-users] Add **per-class** static log4j **instance** using AspectJ. Next by Date: [aspectj-users] Load-time weaving of a ...
dev.eclipse.org/mhonarc/lists/aspectj-users/msg006106.html - [Cached](#)

xml-dev - RE: [xml-dev] **per class** attributes and **per instance** ...

Apr 17, 2006 ... In a XML Schema. How to define a set of **per class** attributes? And also a set of **per instance** attributes? -Mangesh ...
lists.xml.org/archives/xml-dev/200604/msg00125.html - [Cached](#)

Per-instance and **per-class** aspects invention

An object-oriented program development tool supports the specification and implementation program aspects. Cross-cutting concerns can be identified, ...
www.freshpatents.com/Per-instance-and-per-class-aspects-dt20081204plan20080301636.php - [Cached](#)

WCF: **Instance** Management Techniques For Developing WCF Apps

PerCall() **class** MyService : IMyContract {...} Although in theory you can use **per-call instance** activation mode on any service, in practice, ...
msdn.microsoft.com/en-us/magazine/cc163590.aspx - [Cached](#) - [Similar](#)

The Aspects Blog: **Per-instance** aspects

Mar 21, 2005 ... In JBoss you "prepare" a **class** for **per-instance** advising (weave hooks into all of the **class's** join points of interest) when it is loaded. ...
www.aspectprogrammer.org/blogs/adrian/.../perinstance_asp.html - [Cached](#)

Searches related to: **per instance class**

[instance class python](#)

[static instance class](#)

[instance per hour](#)

1 2 3 4 5 6 7 8 9 10

[Next](#)

per instance class

[Search](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us Improve](#) - [Try Go](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)